

WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1

**APPROVED**

By Abigail Almond at 12:55 pm, Apr 18, 2024

**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : WC BLOCKS MULTICOLOR OCEAN

Product code : DRAFT 499339.1.

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Detergents WC - No specific use outside the identified use for cleaning WC bowls

**1.3. Details of the supplier of the safety data sheet**

Registered company name : ZOFLORA.

Address : ....

Telephone : . Fax : .

**1.4. Emergency telephone number : .**

Association/Organisation : .

Not available

**Other emergency numbers**

UK: Medical Helpline – NHS, phone : 111; Australia: NSW Poisons Information Centre The Children's Hospital at Westmead Locked Bag 4001 Westmead, NSW 2145 Australia : 13 11 26; Nicols (9:00-17:00) : +32 67875101

Zoflora Rim Blocks Blue  
Lotus & Waterlilly  
SDS/1659/2

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

**2.2. Label elements**

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05

Signal Word :

DANGER

Product identifiers :

EC 931-534-0 SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE)

EC 270-115-0 BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE)

Additional labeling :

EUH208 Contains LINALOOL: 3,7-DIMETHYL-1,6-OCTADIEN-3-OL; DL-LINALOOL (LINALOOL). May produce an allergic reaction.

EUH208 Contains 1-(1,2,3,5,6,7,8,8A-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES). May produce an allergic reaction.

EUH208 Contains 4-TERT-BUTYLCYCLOHEXYL ACETATE. May produce an allergic reaction.

EUH208 Contains (2E)-2-(PHENYLMETHYLIDENE)OCTANAL (HEXYL CINNAMAL). May produce an allergic reaction.

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

EUH208 Contains 3,7-DIMETHYLOCT-6-EN-1-OL (CITRONELLOL). May produce an allergic reaction.  
 EUH208 Contains (Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE (PENTAMETHYLHEPTENONE). May produce an allergic reaction.

## Hazard statements :

H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H412 Harmful to aquatic life with long lasting effects.

## Precautionary statements - General :

P102 Keep out of reach of children.

## Precautionary statements - Prevention :

P264 Wash hands thoroughly after handling.  
 P273 Avoid release to the environment.

## Precautionary statements - Response :

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Precautionary statements - Disposal :

P501 Dispose of the contents/container in accordance with the local regulations in force.

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq$  0.1% published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances  $\geq$  0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

Do not ingest.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	Classification (EC) 1272/2008	Note	%
CAS: 68439-57-6 EC: 931-534-0 REACH: 01-2119513401-57  SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE)	GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318		10 $\leq$ x % < 25
CAS: 68411-30-3 EC: 270-115-0 REACH: 01-2119489428-22  BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE)	GHS07, GHS05 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412		2.5 $\leq$ x % < 10
CAS: 15763-76-5 EC: 239-854-6 REACH: 01-2119489411-37  SODIUM P-CUMENE SULPHONATE	GHS07 Wng Eye Irrit. 2, H319		2.5 $\leq$ x % < 10
CAS: 78-70-6 EC: 201-134-4 REACH: 01-2119474016-42  LINALOOL: 3,7-DIMETHYL-1,6-OCTADIEN-3-OL; DL-LINALOOL (LINALOOL)	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 $\leq$ x % < 1

## WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1

CAS: 140-11-4 EC: 205-399-7 REACH: 01-2119638272-42  BENZYL ACETATE	Aquatic Chronic 3, H412	[1]	0 <= x % < 1
CAS: 68155-66-8 EC: 268-978-3 REACH: 01-2119489989-04  1-(1,2,3,5,6,7,8,8A-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411		0 <= x % < 1
CAS: 32210-23-4 EC: 250-954-9 REACH: 01-2119976286-24  4-TERT-BUTYLCYCLOHEXYL ACETATE	GHS07 Wng Skin Sens. 1B, H317		0 <= x % < 1
CAS: 2050-08-0 EC: 218-080-2 REACH: 01-2119969444-27  AMYL SALICYLATE	GHS07, GHS09 Wng Acute Tox. 4, H302 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 1
CAS: 101-86-0 EC: 202-983-3 REACH: 01-2119533092-50  (2E)-2-(PHENYLMETHYLIDENE)OCTANAL (HEXYL CINNAMAL)	GHS09, GHS07 Wng Skin Sens. 1B, H317 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1		0 <= x % < 1
CAS: 106-22-9 EC: 203-375-0 REACH: 01-2119453995-23  3,7-DIMETHYLOCT-6-EN-1-OL (CITRONELLOL)	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 <= x % < 1
CAS: 81786-73-4 EC: 279-822-9 REACH: 01-2119980043-42  (Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE (PENTAMETHYLHEPTENONE)	GHS09, GHS07 Wng Skin Sens. 1, H317 Aquatic Chronic 2, H411		0 <= x % < 1
CAS: 5392-40-5 EC: 226-394-6 REACH: 01-2119462829-23  CITRAL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	[1]	0 <= x % < 1
CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47  (R)-P-MENTHA-1,8-DIENE;D-LIMONENE (LIMONENE)	GHS07, GHS09, GHS08, GHS02 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 1
CAS: 101-84-8 EC: 202-981-2 REACH: 01-2119472545-33  DIPHENYL ETHER	GHS07, GHS09 Wng Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 1

## WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1

CAS: 80-56-8 EC: 201-291-9  2,6,6-TRIMETHYLBICYCLO-[3.1.1]HEPT-2-ENE (PINENE)	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 1
INDEX: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9 REACH: 01-2119492630-38  BENZYL ALCOHOL (BENZYL ALCOHOL)	GHS07 Wng Acute Tox. 4, H332 Acute Tox. 4, H302	[1]	0 <= x % < 1
CAS: 532-32-1 EC: 208-534-8  SODIUM BENZOATE	GHS07 Wng Eye Irrit. 2, H319	[1]	0 <= x % < 1
CAS: 124-68-5 EC: 204-709-8  2-AMINO-2-METHYLPROPANOL	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	[1]	0 <= x % < 1

**Specific concentration limits:**

Identification	Specific concentration limits	ATE
CAS: 68439-57-6 EC: 931-534-0 REACH: 01-2119513401-57  SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE)	Skin Irrit. 2: H315 >=5% Eye Dam. 1: H318 C>= 38% Eye Irrit. 2: H319 5% <= C < 38%	inhalation: ATE = 0.052 mg/l (dust/mist) dermal: ATE = 6300 mg/kg BW oral: ATE = 2079 mg/kg BW
CAS: 68411-30-3 EC: 270-115-0 REACH: 01-2119489428-22  BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE)		oral: ATE = 404 mg/kg BW
CAS: 532-32-1 EC: 208-534-8  SODIUM BENZOATE		oral: ATE = 3450 mg/kg BW
CAS: 124-68-5 EC: 204-709-8  2-AMINO-2-METHYLPROPANOL	Skin Irrit. 2: H315 >=10%	oral: ATE = 2900 mg/kg BW

**Information on ingredients :**

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. description of first aid measures****In the event of exposure by inhalation :**

In the event of an allergic reaction, seek medical attention.

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

---

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.  
Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.  
If there is any redness, pain or visual impairment, consult an ophthalmologist.

**In the event of splashes or contact with skin :**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.  
Watch out for any remaining product between skin and clothing, watches, shoes, etc.  
In the event of an allergic reaction, seek medical attention.  
If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

**In the event of swallowing :**

Do not give the patient anything orally.  
In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.  
Seek medical attention immediately, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No acute effects have been identified other than any that may be mentioned in section 2.

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately and see section 4.1 for first aid measures.

---

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media**

**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- carbon dioxide (CO<sub>2</sub>)
- powder
- foam

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.  
Do not breathe in smoke.  
In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus and with standard protective clothes to fight chemical fire.

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For non first aid worker**

Avoid any contact with the skin and eyes.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Retrieve the product by mechanical means (sweeping/vacuuming).

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1****6.4. Reference to other sections**

See section 8 and 13.

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

**Fire prevention :**

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in a cool place

**Storage**

Keep out of reach of children.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

Detergents WC - No specific use outside the identified use for cleaning WC bowls : see section 1.2

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Occupational exposure limits :**

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
101-84-8	7	1	14	2	-

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
140-11-4	10 ppm			A4	
5392-40-5	5 (IFV) ppm			Skin; SEN; A4	
101-84-8	1 ppm	2 ppm			
80-56-8	20 ppm			SEN; A4	

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME :	VME :	Excess	Notes
5989-27-5		5 ppm 28 mg/m <sup>3</sup>		4(II)
101-84-8		1 ppm 7.1 mg/m <sup>3</sup>		1(I)
100-51-6		5 ppm 22 mg/m <sup>3</sup>		2 (I)
532-32-1		10 E mg/m <sup>3</sup>		2 (II)
124-68-5		1 ppm 3.7 mg/m <sup>3</sup>		2 (II)

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
101-84-8	1	7	2	14	-	-

## WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1

- Switzerland (Suva 2021) :

CAS	VME	VLE	Valeur plafond	Notations
5989-27-5	7 ppm 40 mg/m <sup>3</sup>	14 ppm 80 mg/m <sup>3</sup>		
101-84-8	1 ppm 7 mg/m <sup>3</sup>	2 ppm 14 mg/m <sup>3</sup>		
100-51-6	5 ppm 22 mg/m <sup>3</sup>			
124-68-5	2.4 ppm 8.7 mg/m <sup>3</sup>	4.8 ppm 17.4 mg/m <sup>3</sup>		

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
101-84-8	1 ppm 7 mg/m <sup>3</sup>	2 ppm 14 mg/m <sup>3</sup>			

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

1-(1,2,3,5,6,7,8,8A-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) (CAS: 68155-66-8)

**Final use:**Exposure method:  
Potential health effects:  
DNEL :**Workers.**Dermal contact.  
Long term local effects.  
0.1011 mg of substance/cm<sup>2</sup>Exposure method:  
Potential health effects:  
DNEL :Dermal contact.  
Long term systemic effects.  
1.73 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Inhalation.  
Long term systemic effects.  
1.76 mg of substance/m<sup>3</sup>

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

**Final use:**Exposure method:  
Potential health effects:  
DNEL :**Workers.**Dermal contact.  
Long term systemic effects.  
7.6 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Inhalation.  
Long term systemic effects.  
53.6 mg of substance/m<sup>3</sup>**Final use:**Exposure method:  
Potential health effects:  
DNEL :**Consumers.**Dermal contact.  
Long term systemic effects.  
3.8 mg/kg body weight/day

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

**Final use:**Exposure method:  
Potential health effects:  
DNEL :**Workers.**Dermal contact.  
Long term systemic effects.  
170 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Inhalation.  
Long term systemic effects.  
12 mg of substance/m<sup>3</sup>

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1****Final use:**Exposure method:  
Potential health effects:  
DNEL :**Consumers.**Ingestion.  
Long term systemic effects.  
0.85 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Dermal contact.  
Long term systemic effects.  
85 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Inhalation.  
Long term systemic effects.  
3 mg of substance/m3

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE) (CAS: 68439-57-6)

**Final use:**Exposure method:  
Potential health effects:  
DNEL :**Workers.**Dermal contact.  
Long term systemic effects.  
2158.33 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Inhalation.  
Long term systemic effects.  
15.22 mg of substance/m3**Final use:**Exposure method:  
Potential health effects:  
DNEL :**Consumers.**Ingestion.  
Long term systemic effects.  
12.95 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Dermal contact.  
Long term systemic effects.  
1295 mg/kg body weight/dayExposure method:  
Potential health effects:  
DNEL :Inhalation.  
Long term systemic effects.  
45.04 mg of substance/m3**Predicted no effect concentration (PNEC):**

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Environmental compartment: Fresh water.  
PNEC : 0.23 mg/lEnvironmental compartment: Intermittent waste water.  
PNEC : 2.3 mg/lEnvironmental compartment: Waste water treatment plant.  
PNEC : 100 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Environmental compartment: Fresh water.  
PNEC : 0.268Environmental compartment: Sea water.  
PNEC : 0.0268



**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

Environmental compartment: Intermittent waste water.  
PNEC : 0.0167

Environmental compartment: Fresh water sediment.  
PNEC : 8.1

Environmental compartment: Waste water treatment plant.  
PNEC : 3.43

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE) (CAS: 68439-57-6)

Environmental compartment: Soil.  
PNEC : 1.21 mg/kg

Environmental compartment: Fresh water.  
PNEC : 0.024 mg/l

Environmental compartment: Sea water.  
PNEC : 0.002 mg/l

Environmental compartment: Intermittent waste water.  
PNEC : 0.02 mg/l

Environmental compartment: Fresh water sediment.  
PNEC : 0.767 mg/kg

Environmental compartment: Marine sediment.  
PNEC : 0.077 mg/kg

Environmental compartment: Waste water treatment plant.  
PNEC : 4 mg/l

## 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1

**- Respiratory protection**

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties****Physical state**

Physical state : Solid.

**Colour**

Color: Light blue/Blue

**Odour**

Odour threshold : Not relevant.

Odour: Characteristic

**Melting point**

Melting point/melting range : 165.2°C - 166.2°C

Method for determining the melting point :

Method A.1 (Melting/Freezing temperature) as described in Part A of the Annex to Regulation (EC)No 440/2008

ASTM E 537-76 (Standard method for assessing the thermal stability of chemicals by methods of differential thermal analysis).

**Freezing point**

Freezing point / Freezing range : Not relevant.

**Boiling point or initial boiling point and boiling range**

Boiling point/boiling range : Not relevant.

**Flammability**

Flammability (solid, gas) : Not relevant.

**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) : Not relevant.

Explosive properties, upper explosivity limit (%) : Not relevant.

**Flash point**

Flash point interval : Not relevant.

**Auto-ignition temperature**

Self-ignition temperature : Not relevant.

**Decomposition temperature**

Decomposition point/decomposition range : Not relevant.

**pH**

pH : Not relevant.

pH (aqueous solution) : 6.0 - 11.0 @1%

**Kinematic viscosity**

Viscosity : Not relevant.

**Solubility**

Water solubility : Soluble.

Fat solubility : Not stated.

**Partition coefficient n-octanol/water (log value)**

Partition coefficient: n-octanol/water : Not relevant.

**Vapour pressure**

Vapour pressure (50°C) : Not relevant.

**Density and/or relative density**

Density : 1.55 - 1.75

**Relative vapour density**

Vapour density : Not relevant.

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

---

**Particle characteristics**

Particle size : Not relevant.

**9.2. Other information**

No additional data available

**9.2.1. Information with regard to physical hazard classes**

No additional data available

**9.2.2. Other safety characteristics**

No additional data available

---

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

Mixture not reactive in normal conditions of storage and use.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

No incompatible dangerous reactions known.

**10.4. Conditions to avoid**

Avoid :

- formation of dusts

Dusts can form an explosive mixture with air.

Avoid the heating of the mixture.

**10.5. Incompatible materials**

No incompatible raw materials identified.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

---

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

**11.1.1. Substances**

**Acute toxicity :**

2-AMINO-2-METHYLPROPANOL (CAS: 124-68-5)

Oral route : LD50 = 2900 mg/kg bodyweight/day  
Species : Rat

Dermal route : LD50 > 2000 mg/kg bodyweight/day  
Species : Rabbit

SODIUM BENZOATE (CAS: 532-32-1)

Oral route : LD50 = 3450 mg/kg bodyweight/day

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Oral route : LD50 > 7000 mg/kg bodyweight/day  
Species : Rat

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

Oral route : LD50 = 404 mg/kg bodyweight/day  
Species : Rat

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE) (CAS: 68439-57-6)

Oral route : LD50 = 2079 mg/kg bodyweight/day  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 = 6300 mg/kg bodyweight/day  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist) : LC50 = 0.052 mg/m3  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)

**Skin corrosion/skin irritation :**

No data available.

**Serious damage to eyes/eye irritation :**

No data available.

**Respiratory or skin sensitisation :**

No data available.

**Germ cell mutagenicity :**

LINALOOL: 3,7-DIMETHYL-1,6-OCTADIEN-3-OL; DL-LINALOOL (LINALOOL) (CAS: 78-70-6)  
No mutagenic effect.

Mutagenesis (in vivo) : Negative.  
Species : Mouse  
OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)  
  
OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Ames test (in vitro) : Negative.  
With or without metabolic activation.

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

No mutagenic effect.

**Carcinogenicity :**

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Carcinogenicity Test : Negative.  
No carcinogenic effect.  
Species : Rat  
OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Carcinogenicity Test : Negative.  
No carcinogenic effect.

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

**Reproductive toxicant :**

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

No toxic effect for reproduction

**Specific target organ systemic toxicity - single exposure :**

No data available.

**Specific target organ systemic toxicity - repeated exposure :**

LINALOOL: 3,7-DIMETHYL-1,6-OCTADIEN-3-OL; DL-LINALOOL (LINALOOL) (CAS: 78-70-6)

Oral route : C >= 497.9 mg/kg bodyweight/day  
Species : Rat  
Duration of exposure : 90 days  
OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Dermal route : C = 250 mg/kg bodyweight/day  
Species : Rat  
Duration of exposure : 90 days  
OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Oral route : C < 3534 mg/kg bodyweight/day  
Species : Rat  
Duration of exposure : 90 days  
OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Dermal route : C > 440 mg/kg bodyweight/day  
Duration of exposure : 90 days

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Oral route : C = 125 mg/kg bodyweight/day  
Species : Rat  
Duration of exposure : 28 days

**Aspiration hazard :**

No data available.

**11.1.2. Mixture**

**Acute toxicity :**

Not relevant

**Skin corrosion/skin irritation :**

Not relevant

**Serious damage to eyes/eye irritation :**

Not relevant

**Respiratory or skin sensitisation :**

Contains at least one sensitising substance. May cause an allergic reaction.

**Germ cell mutagenicity :**

Not relevant

**Carcinogenicity :**

Not relevant

**Reproductive toxicant :**

Not relevant

**Specific target organ systemic toxicity - single exposure :**

Not relevant

WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1

---

**Specific target organ systemic toxicity - repeated exposure :**

Not relevant

**Aspiration hazard :**

Not relevant

**Information on likely routes of exposure**

Not relevant.

**Symptoms related to the physical, chemical and toxicological characteristics**

Not relevant.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Not relevant.

**Interactive effects**

Not relevant.

**Absence of specific data**

Not relevant.

**Mixtures**

Not relevant.

**Mixture versus substance information**

Not relevant.

**11.2. Information on other hazards**

See section 2.3

**Endocrine disrupting properties**

See section 2.3

**Other information**

See section 2.3

**Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 140-11-4 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

---

**SECTION 12 : ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

**12.1. Toxicity**

**12.1.1. Substances**

LINALOOL: 3,7-DIMETHYL-1,6-OCTADIEN-3-OL; DL-LINALOOL (LINALOOL) (CAS: 78-70-6)

Algae toxicity :

Other guideline

Species : *Desmodesmus subspicatus*

Other guideline

(R)-P-MENTHA-1,8-DIENE;D-LIMONENE (LIMONENE) (CAS: 5989-27-5)

Crustacean toxicity :

Species : *Daphnia magna*

OECD Guideline 211 (*Daphnia magna* Reproduction Test)

AMYL SALICYLATE (CAS: 2050-08-0)

Fish toxicity :

LC50 = 1.34 mg/l

Duration of exposure : 96 h

OECD Guideline 203 (*Fish, Acute Toxicity Test*)

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Fish toxicity :

Crustacean toxicity :

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Fish toxicity : LC50 = 1.67 mg/l  
Species : Lepomis macrochirus  
Duration of exposure : 96 h

NOEC = 0.23 mg/l

Crustacean toxicity : EC50 = 2.9 mg/l  
Species : Daphnia magna  
Duration of exposure : 48 h

Algae toxicity : NOEC > 1 mg/l

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE) (CAS: 68439-57-6)

Fish toxicity : LC50 = 4.2 mg/l  
Species : Danio rerio  
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 4.53 mg/l  
Species : Ceriodaphnia dubia  
Duration of exposure : 48 h

NOEC = 2.42 mg/l  
Species : Daphnia magna  
Duration of exposure : 21 days

Algae toxicity : ECr50 = 1.97 mg/l  
Species : Skeletonema costatum  
Duration of exposure : 72 h

NOEC = 1.2 mg/l

**12.1.2. Mixtures**

No test performed on the mixture

**12.2. Persistence and degradability**

The surfactants contained in the product correspond to the direction on the environmental compatibility of detergents and are biodegradable.

**12.2.1. Substances**

2-AMINO-2-METHYLPROPANOL (CAS: 124-68-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

DIPHENYL ETHER (CAS: 101-84-8)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

(R)-P-MENTHA-1,8-DIENE;D-LIMONENE (LIMONENE) (CAS: 5989-27-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

(Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE (PENTAMETHYLHEPTENONE) (CAS: 81786-73-4)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

(2E)-2-(PHENYLMETHYLIDENE)OCTANAL (HEXYL CINNAMAL) (CAS: 101-86-0)

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

---

Biodegradability : Rapidly degradable.

LINALOOL: 3,7-DIMETHYL-1,6-OCTADIEN-3-OL; DL-LINALOOL (LINALOOL) (CAS: 78-70-6)

Biodegradability : Rapidly degradable.

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Biodegradability : Rapidly degradable.

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Biodegradability : Rapidly degradable.

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE) (CAS: 68439-57-6)

Biodegradability : Rapidly degradable.

### 12.2.2. Mixtures

No test performed on the mixture

### 12.3. Bioaccumulative potential

#### 12.3.1. Substances

SODIUM P-CUMENE SULPHONATE (CAS: 15763-76-5)

Octanol/water partition coefficient : log K<sub>ow</sub> = -1.1

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS ( SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Octanol/water partition coefficient : log K<sub>ow</sub> = 3.32

SULFONIC ACIDS, C14-16-ALKANE HYDROXY AND C14-16-ALKENE, SODIUM SALTS (SODIUM C14-16 OLEFIN SULFONATE) (CAS: 68439-57-6)

Octanol/water partition coefficient : log K<sub>ow</sub> = -1.3

Bioaccumulation : BCF = 70.8

### 12.3.2. Mixtures

No test performed on the mixture

### 12.4. Mobility in soil

No test performed on the mixture.

### 12.5. Results of PBT and vPvB assessment

See section 2.3

### 12.6. Endocrine disrupting properties

See section 2.3

### 12.7. Other adverse effects

No test performed on the mixture.

---

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.



**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

---

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

---

**SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

**14.1. UN number or ID number**

Exempt from transport classification and labelling.

-

**14.2. UN proper shipping name**

-

Exempt from transport classification and labelling.

**14.3. Transport hazard class(es)**

Exempt from transport classification and labelling.

-

**14.4. Packing group**

Exempt from transport classification and labelling.

-

**14.5. Environmental hazards**

Exempt from transport classification and labelling.

-

**14.6. Special precautions for user**

Exempt from transport classification and labelling.

-

**14.7. Maritime transport in bulk according to IMO instruments**

Exempt from transport classification and labelling.

-

---

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

**Container information:**

Packaging directive 94/62/EC and its adaptations.

**Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):**

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):  
<https://echa.europa.eu/substances-restricted-under-reach>.

**Explosives precursors :**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

**Particular provisions :**

General consumer safety directive 2001/95/EC

**Labelling for detergents (EC Regulation No. 648/2004,907/2006) :**

- 30 % and more : anionic surfactants

- perfumes

- preservatives

potassium sorbate

sodium benzoate

- allergenic fragrances :

hexyl cinnamal

citronellol

(r)-p-mentha-1,8-diene;d-limonene (limonene)

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

linalool

citral

**15.2. Chemical safety assessment**

Evaluation not achieved yet by ingredient suppliers, according to Reach Regulation.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

The information given correspond to the knowledge we have on the date mentioned on this document.

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 :**

Classification in accordance with Regulation (EC) No 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method.
Eye Dam. 1, H318	Calculation method.
EUH208	Calculation method.
Aquatic Chronic 3, H412	Calculation method.

**Wording of the phrases mentioned in section 3 :**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.  
LC50 : The concentration of a test substance resulting in 50% lethality in a given period.  
EC50 : The effective concentration of substance that causes 50% of the maximum response.  
ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.  
NOEC : The concentration with no observed effect.  
REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.  
ATE : Acute Toxicity Estimate  
BW : Body Weight  
DNEL : Derived No-Effect Level  
PNEC : Predicted No-Effect Concentration  
STEL : Short-term exposure limit  
TWA : Time Weighted Averages  
TMP : French Occupational Illness table  
TLV : Threshold Limit Value (exposure)  
AEV : Average Exposure Value.  
ADR : European agreement concerning the international carriage of dangerous goods by Road.  
IMDG : International Maritime Dangerous Goods.  
IATA : International Air Transport Association.  
ICAO : International Civil Aviation Organisation  
RID : Regulations concerning the International carriage of Dangerous goods by rail.

**WC BLOCKS MULTICOLOR OCEAN - DRAFT 499339.1**

---

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS05 : Corrosion

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.